

Printing date 03.11.2020

Version number 10

Revision: 03.11.2020

· 1.1 Product identifier		
<ul> <li>Trade name: <u>illbruck SP050</u></li> </ul>		
<ul> <li>MSDS code: T-I-SP050</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>Application of the substance / the mixture Adhesives Spacings sealant</li> </ul>		
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Tremco CPG Germany GmbH tremco illbruck GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tel: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784 msds@cpg-europe.com</li> </ul>		
Further information obtainable from: Tremco CPG UK Ltd tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com		
<ul> <li>• 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.</li> </ul>		
SECTION 2: Hazards identification		
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>The product is not classified, according to the CLP regulation.</li> </ul>		
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 Void</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Supplemental information: EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction. EUH210 Safety data sheet available on request.</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> </ul>		
(Contd. on page 2) GB —		



Revision: 03.11.2020

Printing date 03.11.2020

Version number 10

Trade name: illbruck SP050

(Contd. of page 1)

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- Description: Silane-terminated, hydrocarbon-based polymer with inorganic fillers

<ul> <li>Dangerous components:</li> </ul>	
-------------------------------------------	--

Dangereae eenipenentei			
CAS: 28553-12-0	di-"isononyl" phthalate	10-<20%	
EINECS: 249-079-5	substance with a Community workplace exposure limit		
Reg.nr.: 01-2119430798-28-xxxx			
CAS: 2768-02-7	trimethoxyvinylsilane	1-<5%	
EINECS: 220-449-8	Flam. Liq. 3, H226; Acute Tox. 4, H332		
Reg.nr.: 01-2119513215-52-xxxx			

## · SVHC -

## · Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1)

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · Information for doctor: No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

## · 5.1 Extinguishing media

## · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

- GB -



Printing date 03.11.2020

Version number 10

Revision: 03.11.2020

Trade name: illbruck SP050

(Contd. of page 2) 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. · Information about fire - and explosion protection: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities • Storage: · Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** • Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 28553-12-0 di-"isononyl" phthalate WEL | Long-term value: 5 mg/m<sup>3</sup> Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1) CAS: 67-56-1 methanol WEL Short-term value: 333 mg/m<sup>3</sup>, 250 ppm Long-term value: 266 mg/m<sup>3</sup>, 200 ppm Sk



Printing date 03.11.2020

Version number 10

Revision: 03.11.2020

Trade name: illbruck SP050		
(Contd. of page 3)		
• Additional information: The lists valid during the making were used as basis.		
· 8.2 Exposure controls		
· Personal protective equipment:		
General protective and hygienic measures:		
The usual precautionary measures are to be adhered to when handling chemicals.		
Keep away from foodstuffs, beverages and feed.		
Wash hands before breaks and at the end of work.		
Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.		
· Respiratory protection:		
Not necessary if room is well-ventilated.		
Filter AX		
Use suitable respiratory protective device in case of insufficient ventilation.		
For further guidance,		
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".		
· Protection of hands:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.		
Due to missing tests no recommendation to the glove material can be given for the produc		
preparation/ the chemical mixture.		
Selection of the glove material on consideration of the penetration times, rates of diffusion and the		
degradation · <b>Material of gloves</b>		
Butyl rubber, BR		
Nitrile rubber, NBR		
· Penetration time of glove material		
The exact break through time has to be found out by the manufacturer of the protective gloves and has to		
be observed.		
• Eye protection: Safety glasses		
· Body protection:		
Protective work clothing		
SECTION 9: Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and chemical properties</li> </ul>		
- General Information		

- · Appearance:
  - Form:
- Pasty According to product specification Colour:
- Alcohol-like · Odour:
- · Melting point/freezing point: Undetermined.

(Contd. on page 5)



Revision: 03.11.2020

Printing date 03.11.2020

Version number 10

Trade name: illbruck SP050

		(Contd. of page 4
· Flash point:	>151 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.67 g/cm <sup>3</sup>	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	n Immiscible / difficult to mix.	
<ul> <li>Solvent content:</li> <li>VOC (EU)</li> <li>VOC (EC)</li> <li>9.2 Other information</li> </ul>	0.1 g/l 0.01 % No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

## CAS: 2768-02-7 trimethoxyvinylsilane

Oral LD50 7,120 mg/kg (rat)

Dermal LD50 3,540 mg/kg (rabbit)

Inhalative LC50/4 h 16.8 mg/L (rat)

## • Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Slight irritation possible.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

- GB



Revision: 03.11.2020

Printing date 03.11.2020

Version number 10

Trade name: illbruck SP050

(Contd. of page 5)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

#### Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

#### European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## Uncleaned packaging:

#### · Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
		(Contd. on page 7)



Printing date 03.11.2020

Version number 10

Revision: 03.11.2020

		(Contd. of page 6)
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA		
· Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
· 14.7 Transport in bulk according to Annex II of		
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).
 "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.
 COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 HSE EH40/2005 Workplace Exposure Limits (as amended)
 Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste
 REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 52a
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical

and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour. H332 Harmful if inhaled.

(Contd. on page 8)



Revision: 03.11.2020

Printing date 03.11.2020

Version number 10

#### Trade name: illbruck SP050

(Contd. of page 7) Department issuing SDS: Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - inhalation - Category 4 GB