

STV-THUNDERBOLT LEVER LEVER 2070/45 4941787



Product details	
Product base class ❶	Multi point locking system
Product function group	Lock - mechanical
Product group	solidLock
Product	solidLock/Double bolt
Product variant	solidLock D
Specification	
Profile material	Plastic
Opening mode	Single sash + double sash active
Sash rebate height	Different special dimensions
Handle position	906 mm
Lock actuation	TT/Handle-operated
Type of faceplate	Flat faceplate
Faceplate width	20 mm
Faceplate variant	Variant 70
Faceplate end	Rounded
Radius	Radius 10 mm
Backset	45 mm
Distance	92 mm
Cylinder type	Profile cylinder (PZ)
Follower	8 mm
Follower version	Standard follower
Auxiliary locking point type	Double bolt
Number of auxiliary locking points	2
DIN Direction	DIN left hand + right-hand
Surface	Matchrome-plated MC
Main deadbolt	With main deadbolt
Latch version	Standard latch
Latch material	Zinc-steel
Entryguard function	Without entryguard function
Additional lock	AO - Additional lock without bolt prepared
Type of fixing	Standard hardware screw
Certification	
SBD/PAS24	Suitable


STV-THUNDERBOLT LEVER LEVER 2070/45 4941787

Profile systems

Profile manufacturer

Deceuninck, KBE,
Kömmerling, PlusTec,
Salamander, Trocal

STV-THUNDERBOLT LEVER LEVER 2070/45 4941787




General dimensioning

D = Backset

G = Handle position

** = Cutting area


STV-THUNDERBOLT LEVER LEVER 2070/45 4941787



STV-THUNDERBOLT LEVER LEVER 2070/45


4941787

Views



STV-THUNDERBOLT LEVER LEVER 2070/45

4941787




Milling dimensions

D = Backset





G = Handle position

STV-THUNDERBOLT LEVER LEVER 2070/45 4941787



Installation position

D = Backset




STV-THUNDERBOLT LEVER LEVER 2070/45 4941787

Legend

The Winkhaus Portal

A simple click on the article number takes you directly to the article in the Winkhaus Portal. Further information such as a product description or explanations of the individual specifications are available in the Winkhaus Portal. Further information is also provided for the various profile systems, such as the sash and frame numbers. Additional documents and images for the selected product are also available in the download area.



The Winkhaus Portal

Email Address

Password

[Forgot your password?](#)

[Create an Account](#) | [Request access to Winkhaus ordering system ZO \(Access Control\)](#)

LOGIN